

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52078	H05B001/\$.ipc. H05B003/\$.ipc.	JPO; DERWENT	OR	ON	2006/01/28 11:01
L2	52559	1 aaaaaand ohmmeter	JPO; DERWENT	OR	ON	2006/01/28 11:01
L3	4	1 and ohmmeter	JPO; DERWENT	OR	ON	2006/01/28 11:05
L4	0	1 and ohmmetre	JPO; DERWENT	OR	ON	2006/01/28 11:02
L5	1	1 and controller with two wires	JPO; DERWENT	NEAR	ON	2006/01/28 11:06
L6	150	1 and controller with wires	JPO; DERWENT	NEAR	ON	2006/01/28 11:07
L7	0	6 and tcr	JPO; DERWENT	NEAR	ON	2006/01/28 11:07
L8	0	6 and resistive layer	JPO; DERWENT	NEAR	ON	2006/01/28 11:07
L9	152	1 and resistive layer	JPO; DERWENT	NEAR	ON	2006/01/28 11:07
L10	3537	1 and controller	JPO; DERWENT	NEAR	ON	2006/01/28 11:07
L11	2	9 and 10	JPO; DERWENT	NEAR	ON	2006/01/28 11:43
L12	8	9 and dielectric layer	JPO; DERWENT	NEAR	ON	2006/01/28 11:25
L13	0	"4723068", "47776514"	JPO; DERWENT	NEAR	ON	2006/01/28 11:25
L14	3	"4723068",	JPO; DERWENT	NEAR	ON	2006/01/28 11:35
L15	0	"4777776514"	JPO; DERWENT	NEAR	ON	2006/01/28 11:26
L16	3	"4776514"	JPO; DERWENT	NEAR	ON	2006/01/28 11:29
L17	17	"4776514"	USPAT; JPO; DERWENT	NEAR	ON	2006/01/28 11:33
L18	14	"4776514"	USPAT	NEAR	ON	2006/01/28 11:33
L19	9	"4723068"	US-PGPUB; USPAT	OR	ON	2006/01/28 11:35
L20	0	9 and ohmmeter	JPO; DERWENT	NEAR	ON	2006/01/28 11:43
L21	1	9 and tcr	JPO; DERWENT	NEAR	ON	2006/01/28 11:44
L22	29	9 and control\$3	JPO; DERWENT	NEAR	ON	2006/01/28 11:59

L23	14	"4776514"	USPAT	NEAR	ON	2006/01/28 11:52
L24	4	9 and detect\$3 with resist\$4	JPO; DERWENT	NEAR	ON	2006/01/28 12:00
L25	13	9 and (copper or nickel or palladium)	JPO; DERWENT	NEAR	ON	2006/01/28 12:01
L26	11	9 and (copper or nickel or platinum)	JPO; DERWENT	NEAR	ON	2006/01/28 12:33
L27	1634	219/543	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:04
L28	564	27 and resistive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:14
L29	326	28 and (copper or nickel or platinum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:09
L30	10	29 and tcr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:05
L31	20	28 and copper layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:08
L32	5	28 and resistive (copper or nickel or platinum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:09
L33	146	27 and resistive layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:23

L34	78	33 and wires	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:15
L35	13	33 and two wires	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:18
L36	77	33 and temperature with resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:20
L37	26	36 and detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:18
L38	10	33 and temperature with resistance with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:20
L39	0	27 and resistive layer near temperature sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:24
L40	2	27 and resistive layer with temperature sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:31
L41	9456	1 and (sens\$4 or detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:31

L42	32520	1 and (heating adj element or heater\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:32
L43	6054	41 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:32
L44	1	43 and tcr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:50
L45	110	43 and microprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:05
L46	1	45 and (copper or nickel or platinum)	JPO; DERWENT	NEAR	ON	2006/01/28 12:33
L47	0	45 and copper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:34
L48	0	45 and nickel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:34
L49	15	42 and tcr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 12:58
L50	4711	43 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:07

L51	1	50 and TCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:07
L52	94	45 and 50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:07
L53	1961	43 and temperature sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:07
L54	335	43 and temperature sens\$3 near2 heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:08
L55	171	43 and temperature sens\$3 near heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:08
L56	24	43 and temperature sensing near heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/01/28 13:08